

PRODUCT DATA SHEET



PRODUCT CODE

TL135DNSF

RANGE

3ONE6 Lever

DESCRIPTION

3ONE6 Lever Basin 3 Hole Set Deck Mounted Stainless Brushed Brass Effect

WEBSITE LINK [Click Here](#)

| | |
|-----------------------|----------------------|
| CATEGORY | Brassware |
| WARRANTY DETAILS | 15 Years |
| COLOUR | Brushed Brass Effect |
| FINISH APPLICATION | PVD |
| PRIMARY MATERIAL | 316 Stainless Steel |
| INSTALL TYPE | Wall Mounted |
| PRODUCT HEIGHT MM | 173 |
| PRODUCT DEPTH MM | 197 |
| PRODUCT NET WEIGHT KG | 2.05 |
| STANDARDS | BS EN 200:2008 |


| | |
|------------------------------------|-------------------------------------|
| MINIMUM PRESSURE (BAR) | 1 |
| MAX WORKING PRESSURE (BAR) | 5 |
| HEADWORK | 1/2" Quarter turn ceramic cartridge |
| SPOUT PROJECTION | 162 |
| SWIVEL SPOUT | No |
| INLET CONNECTIONS THREAD | G1/2" |
| FLOW REGULATOR | Cache M16x1 |
| WASTE INCLUDED | No |
| ANTI-SCALD | No |
| ENERGY SAVING | No |
| SHOWER HOSE & HANDSET ARE INCLUDED | No |

| PRESSURE (BAR) | 0.2 | 0.5 | 1 | 2 | 3 | 4 | 5 |
|---------------------|-----|-----|------|------|------|------|------|
| PRIMARY FLOWRATE | | | 4.22 | 5.33 | 5.25 | 5.01 | 5.34 |
| HANDSET FLOWRATE | | | | | | | |
| MASSAGE FLOW RATE | | | | | | | |
| AIR FLOW RATE | | | | | | | |
| WIRE FLOW RATE | | | | | | | |
| WATERFALL FLOW RATE | | | | | | | |
| MIST FLOW RATE | | | | | | | |
| HANDSPRAY FLOW RATE | | | | | | | |

TECHNICAL DIMENSIONS

Dimensions in mm unless otherwise specified.

Tolerances (per material type) apply.



SPARES LIST

Only the parts labelled are available as spares.

| |
|--|
| |
|--|