INSTALLATION











Assembly instructions.

each subsequent owner.



Please read the instructions first. We reserve the right to change

product specifications due to possible technical improvements. The manual is supplied with the product; It must be kept for future

reference and for the entire life cycle of the product and given to

Coat all cut areas with moisture resistant sealant to prevent ingress.





I.LIFE

WC UNIT

F

IMPORTANT - If installing unit with wall hung pan - replace bottom panel "Lift-on" clips with loose "Push-on" clips supplied

"Push-on" clips



"Lift-on" clips



CLEANING INSTRUCTIONS

Furniture surfaces MUST ONLY be cleaned using a damp cloth with warm water.

Excessive wetting MUST BE avoided and any spills should be removed immediately

ENVIRONMENT


Excessive condensation should be avoided

GUARANTEE


Guarantee is void if the furniture is not installed in an adequately ventilated/heated bathroom

This instruction should be used in conjunction with instructions supplied with component parts.


Type of cut-out required in lower panel will be dependent on the closet being installed.




Wall hung option typical cut-out detail





Back to Wall option typical cut-out detail






Caution: Always use appropriate fixings to suit your type of wall.

































Basin unit, column, drawer panel, worktop: MFC Class £1; Drawer sides, runners, hinges, hangers, fixing plates, collar, fascia: Steel; Shelf: Glass; Handle: Matt black and Brushed chrome Zamak; Finishes: Matt lacquered; Melamine double faced.

Maximum Shelf Loading: 2 Kg evenly distributed. Do not apply pressure of more than 15 Kg on open drawers. Incorrect installation and/or use of the item for any purpose other than that for which it was intended can be dangerous or cause possible injury to users.

Wipe down with a damp cloth and dry carefully. Do not use any solvents or abrasive substances for cleaning. Spilt liquids must be wiped up immediately using a cloth; thereafter, dry the surface with a clean dry cloth. When cleaning or using the bathroom, please take care for all furniture having integrated lights or other electric parts, to avoid direct contact with water or moisture. Effective ventilation of the bathroom is essential to maintain the quality and appearance of the product.






At the end of its useful life, entrust the unit to the local waste disposal company.

Product warranty takes effect as of the purchase date of the product, as shown on the invoice or receipt and for the period granted under applicable law. Product warranty granted by law only covers defects (appearance, dimension, operation) existing at the time of delivery resulting from manufacturing errors, as verified and confirmed by the manufacturer's after-sales service technical staff. Normal wear is not included.

> National Avenue Kingston-upon-Hull HU5 4HS, England Customer care line: Tel.: +44 (0)1482 496 318 Fax: +44 (0)1482 499 611











Assembly instructions.

Please read the instructions first. We reserve the right to change product specifications due to possible technical improvements.

Caution: Always use appropriate fixings to suit your type of wall.

Coat all cut areas with moisture resistant sealant to prevent ingress.

Cleaning Instructions

Furniture surfaces MUST ONLY be cleaned using a damp cloth with warm water.


Excessive wetting MUST BE avoided and any spills should be removed immediately.

Environment

Excessive condensation should be avoided.

Guarantee

Guarantee is void if the furniture is not installed in an adequately ventilated/heated bathroom.






Important

"Lift-on" clips

"Push-on" clips supplied





This instruction should be used in conjunction with instructions supplied with component


If installing unit with wall hung pan - replace


botton panel "Lift-on" clips with loose


Type of cut-out required in lower panel will be dependent on the closet being installed.






















350

190





6


е

Cut to Suit

4

b

d



Concept Space



E0431 600 x 300 x 815

E0432 600 x 300 x 815



E6581 604 x 300 x 30



365 x 485 x 400



365 x 485 x 340



E0060



Assembly instructions.

Please read the instructions first. We reserve the right to change product

Furniture surfaces MUST ONLY be cleaned using a damp cloth with warm water.

Excessive wetting MUST BE avoided and any spills should be removed immediately

CLEANING INSTRUCTIONS

ENVIRONMENT

Excessive condensation should be avoided

GUARANTEE

Guarantee is void if the furniture is not installed in an adequately ventilated/heated bathroom

IMPORTANT - If installing unit with wall hung pan - replace bottom panel 'Lift-on' clips with loose 'Push-on' clips supplied









